COMPLETE PRODUCT RANGE

BYD FORKLIFT IS ABLE TO DEAL WITH ANY WORKING CONDITION WITH ITS PRODUCT

G series small and medium-sized tonnage balance weight



ECB16S-B/ECB16S-C

Load: 1.6T Weight: 3340KG Turning radius: 1860mm Voltage: 80V Capacity: 270Ah



ECB18S-B/ECB18S-C

Load: 1.8T Weight: 3490KG Turning radius: 1860m Voltage: 80V Capacity: 270Ah



ECB16D-B/ECB16D-C

Load: 1.6T Weight: 3150KG Turning radius: 1820mm Voltage: 80V Capacity: 270Ah



ECB18D-B/ECB18D-C

Load: 1.8T Weight: 3300KG Turning radius: 1820mm Voltage: 80V Capacity: 270Ah



ECB35B/ECB35C

Load: 3.5T Weight: 5500KG Turning radius: 2210mm Voltage: 80V Capacity: 540Ah



ECB20D/ECB20E

Load: 2.0T Weight: 3620KG Turning radius: 2020mm Voltage: 80V Capacity: 270Ah



ECB25D/ECB25E

Load: 2.5T Weight: 4220KG Turning radius: 2020mm Voltage: 80V Capacity: 270Ah



ECB30D/ECB30E

Load: 3.0T Weight: 5270KG Turning radius: 2270mm Voltage: 80V Capacity: 540Ah



ECB20B/ECB20C

Load: 2.0T Weight: 3600KG Turning radius: 2020mm Voltage: 80V Capacity: 270Ah



ECB25B/ECB25C

Load: 2.5T Weight: 4200KG Turning radius: 2020m Voltage: 80V Capacity: 270Ah



ECB27B/ECB27C

Load: 2.7T Weight: 4460KG Turning radius: 1895mm Voltage: 80V Capacity: 270Ah



ECB30B/ECB30C

Load: 3.0T Weight: 5180KG Turning radius: 2210mm Voltage: 80V Capacity: 540Ah



ECB35D/ECB35E

Load: 3.5T Weight: 5600KG Turning radius: 2270mm Voltage: 80V Capacity: 540Ah



ECB40B/ECB40C

Load: 4.0T Weight: 6750KG Turning radius: 2600mm Voltage: 80V Capacity: 810Ah



ECB45B/ECB45C

Load: 4.5T Weight: 7030KG Turning radius: 2600mm Voltage: 80V Capacity: 810Ah



ECB50B/ECB50C

Load: 5.0T Weight: 7350KG Turning radius: 2600mm Voltage: 80V Capacity: 810Ah

18

COMPLETE **PRODUCT RANGE**

BYD FORKLIFT IS ABLE TO DEAL WITH ANY WORKING CONDITION WITH ITS PRODUCT

EL-PRO series small and medium-sized tonnage balance weight



EL20 PRO

Load: 2.0T Weight: 3550KG Turning radius: 2110mm Voltage: 80V Capacity: 270/540Ah



EL25 PRO

Load: 2.5T Weight: 3800KG Turning radius: 2110mm Voltage: 80V Capacity: 270/540Ah



EL30 PRO

Load: 3.0T Weight: 4500KG Turning radius: 2440mm Voltage: 80V Capacity: 270/540Ah



Heavy Duty Counterbalance Trucks

ECB60C

Load: 6.0T Weight: 11800KG Turning radius: 3100mm Voltage: 80V Capacity: 1080Ah

Reach Truck



ECB70C

Load: 7.0T Weight: 12500KG Turning radius: 3100mm Voltage: 80V Capacity: 1080Ah



BYD

ECB80C

Load: 8.0T Weight: 13300KG Turning radius: 3100mm Voltage: 80V Capacity: 1080Ah



EL35 PRO

Weight: 4820KG Turning radius: 2440mm Voltage: 80V Capacity: 270/540Ah



EL38 PRO

Load: 3.8T Weight: 4960KG Turning radius: 2540mm Voltage: 80V Capacity: 270/540Ah



RTR16

Weight: 4070KG Turning radius: 1758mm Voltage: 80V Capacity: 270/340Ah



RTR20

Load: 2.0T Weight: 4170KG Turning radius: 1758mm Voltage: 80V Capacity: 270/340 Ah



R18PS

Load: 1.8T Weight: 2515G Turning radius: 1750mm Voltage: 48V Capacity: 210/420Ah



R15PS

Load: 1.5T Weight: 2375KG Turning radius: 1600mm Voltage: 48V Capacity: 210/420Ah

20

COMPLETE PRODUCT RANGE

BYD FORKLIFT IS ABLE TO DEAL WITH ANY WORKING CONDITION WITH ITS PRODUCT

20 EULE MACC PRODUCE TO THE

Pallet stacker



SZ14PS-G

Load: 1.4T Weight: 1220KG Turning radius: 1802mm Voltage: 24V Capacity: 210Ah



S14PS

Load: 1.4T Weight: 1180KG Turning radius: 1490mm Voltage: 24V Capacity: 210Ah



S14JW

Load: 1.4T Weight: 1200KG Turning radius: 1456mm Voltage: 24V Capacity: 210Ah



Towingtractor

Q30TJS

Load: 3.0T Weight: 606KG Turning radius: 1013mm Voltage: 24V Capacity: 210Ah



QD50

Load: 5.0T Weight: 980KG Turning radius: 1580mm Voltage: 48V Capacity: 210Ah



Q50TPS

Load: 5.0T Weight: 1065KG Turning radius: 1164mm Voltage: 24V Capacity: 210Ah

Pallet truck



P20JW

Load: 2.0T Weight: 490KG Turning radius: 1515mm Voltage: 24V Capacity: 210Ah



P20PS

Load: 2.0T Weight: 650KG Turning radius: 1750mm Voltage: 24V Capacity: 210Ah



P20PS-U

Load: 2.0T Weight: 1650KG Turning radius: 1680mm Voltage: 24V Capacity: 210Ah



P20PS-B

Load: 2.0T Weight: 880KG Turning radius: 2200mm Voltage: 24V Capacity: 210Ah



Q250LS

Load: 25.0T Weight: 3750KG Turning radius: 3665mm Voltage: 80V Capacity: 540Ah



Q250L

Load: 25.0T Weight: 3750KG Turning radius: 3530mm Voltage: 80V Capacity: 540Ah



Q250L-01

Load: 25.0T Weight: 4230KG Turning radius: 3530mm Voltage: 80V Capacity: 540Ah

22

COMPLETE PRODUCT RANGE

BYD FORKLIFT IS ABLE TO DEAL WITH ANY WORKING CONDITION WITH ITS PRODUCT

Logistics Robotics



AR16P

Load: 1.6T Weight: 4200KG Turning radius: 1850mm Voltage: 80V Capacity: 270Ah



AS14MPW

Load: 1.4T Weight: 1200KG Turning radius: 1550mm Voltage: 24V Capacity: 210Ah



ANS15

Load: 1.5T Weight: 4200KG Turning radius: 1481mm Voltage: 24V Capacity: 210Ah



AP20MPW

Load: 2.0T Weight: 650KG Turning radius: 1740mm Voltage: 24V Capacity: 210Ah



AQ30MPW

Load: 3.0T Weight: 520KG Turning radius: 1260mm Voltage: 24V Capacity: 210Ah



AF10D

Load: 1.0T Weight: 230KG Turning radius: 600mm Voltage: 48V Capacity: 45Ah



AF06D

Load: 0.6T Weight: 200KG Turning radius: 525mm Voltage: 48V Capacity: 27Ah



CUSTOMIZED PRODUCTS



PAPERMAKING INDUSTRY



COLD-CHAIN INDUSTRY



AUTOMOBILE INDUSTRY



FEED INDUSTRY



SPECIAL CO

PROFESSIONAL CUSTOMIZATION SERVICE

Customization service

BYD forklift always focuses on customers usage experience. According to customer's industry and forklift's working condition, we provide our customers with precise customization service and complete solutions, satisfying their different necessity.





Optional finger-control system





Optional driving cab





upgrade

Optional dual pedal





Optional electromagnetic











Vehicle management system



Material equipment evaluation & optimization



Automatic forklift solutions





External system



External equipment



Software



Robot



Charging cabinet

EXTERNAL OBJECTS



External system

- MES
 Manufacturing Execution
 System
- WMS
 Warehouse Management
 System



External equipment

- Elevator
- Automatic Door
- Roller Conveyor

SOFTWARE



Software

- RCS
 Robot Control System
- Vehicle motion control program
- Navigation and positioning core algorithm
- Vehicle monitoring and diagnosis display screen program
- Host system and WCS system

HARDWARE









Charging cabinet

ROBOT SCHEDULING SYSTEM

A visual intelligent scheduling system can achieve multi vehicle joint debugging and rapid deployment. Fuctions are available, such as large-scale cluster scheduling, path planning, collision avoidance, real-time monitoring, task management, vehicle management, and data analysis. Our system are tightly integrated with MES, WMS, ERP and other systems, and are connected to the entire factory datachain, enabling us to quickly provide enterprises with intelligent manufacturing solutions.



DEVELOP WITH CUSTOMERS



OUR APPLICATIONS



Food and Beverage Industry



Paper industry



Automobile and parts industry



Logistics industry



Household appliance production industry



Plate industry



Processing and manufacturing



Ceramics industry



Beer industry



The pharmaceutical industry



Airport Port Logistics



Wine industry



Feed industry



Household appliance



Drinking water industry

INDOOR LOGISTICS COMPREHENSIVE SOLUTIONS



DEVELOP WITH CUSTOMERS



























































30

CUSTOMER FOCUS SERVICE PRINCIPLE

- Comprehensive distribution
- Make service assurance always close to every customers.
- BYD forklift has established global network and high standard after-sale service team, which could offer our customer with satisfying efficient one-stop service.



CUSTOMER FOCUS SERVICE PRINCIPLE



Service system



Training system



LMS Training Academy



400 Smart Customer Service



400 intelligent customer service



Customer service center



DMS service system



Intelligent Wearing

☐ EFFICIENT AND FAST PROCESSING **PLATFORM**

400 SMART CUSTOMER SERVICE

Deep concatenation. Various service before, during, and after sales Fully meet customer needs.





BYD FDS

Portable intelligent diagnostic app







• INTELLIGENT WEARING

Realizing real-time audio and video synchronization at the front-end.

Remote operation guidance Improving the timeliness of after-sales service.



Video surveillance



Voice call



W Electronic fence







Drop alarm




Hazard rescue



Climbing warning



Track playback



Financing leasing

According to the customer's necessity & credit, customized financial leasing plan could be provided.







Grading rate



Leased properties











Strong financial strength

Professional&efficient Convenient application

Prudent auditing

Operational leasing

BYD forklift provides customers with flexible operational leasing plan, adapting to customers needs in usage &finance.



LOW ONE-TIME INVESTMENT

Relieve short-term financial pressure







FLEXIBLE LEASING PERIOD

Short-term & long-term are both available





Long term

short-term



STRONG ADAPTION

Changeable leasing perlod & rate









LEASED PROPERTIES COULD BE DISPOSED FLEXIBLY

After one leasing period, customers could choose to off-lease or to renew







